



Spectra Watermakers, Inc.
 20 Mariposa Road
 San Rafael, CA 94901
 USA
 Tel: 415-526-2780
 Fax: 415-526-2787
 www.spectrawatermakers.com

RETAIL PRICE LIST

Effective October 01 thru December 31, 2009

Ventura Systems

VT-150-D (Deluxe) 150 gpd / 6.3 gph 570 lpd / 24 lph \$5,550.00

The Ventura VT-150-D system includes: Seawater strainer • pre-filter housing with 5 micron filter element • feed water pump with heat sink and cooling fan • composite Spectra High Pressure Pump • one 20 inch high rejection/high yield spiral wound reverse osmosis membrane and Spectra free flow ultra efficient high pressure vessel assembly • Spectra Pump and membrane housing mounted and plumbed together with mounting brackets • accumulator • manual fresh water flush system with 3-way valve with for cleaning and flushing procedures, charcoal filter and housing • 50 ft. reinforced sea water hose • 25 ft. LP product tubing • instrument panel with feed water pressure gauge and product flow meter • hand-held salinity monitor • all required tube fittings and hose clamps • one SC-1 storage chemical • complete installation and operation manual • warranty registration card.

Available systems	VT-150-D-12	Ventura 150 Deluxe System 12 VDC
	VT-150-D-24	Ventura 150 Deluxe System 24 VDC

VT-150-MPC 150 gpd / 6.3 gph 570 lpd / 24 lph \$7,975.00

The Ventura VT-150-MPC system includes: Seawater strainer • dual pre-filter housing with 20 and 5 micron filter elements • feed water pump with heat sink and cooling fan • composite Spectra High Pressure Pump • one 20 inch high rejection/high yield spiral wound reverse osmosis membrane and Spectra free flow ultra efficient high pressure vessel assembly • Spectra Pump and membrane housing mounted and plumbed together with mounting brackets • MPC-5000 electrical control box with changeover switch to manual operation • MPC-5000 LCD display and remote control panel with 50 foot control cable • automatic fresh water flush system with charcoal filter • accumulator • one 3-way valve • 50 ft. reinforced sea water hose • 25 ft. LP product tubing • all required tube fittings and hose clamps • one SC-1 storage chemical • complete installation and operation manual • warranty registration card.

Available systems	VT-150-MPC-12	Ventura 150 with MPC Control System 12 VDC
	VT-150-MPC-24	Ventura 150 with MPC Control System 24 VDC

VT-200-T (Tropical) 200 gpd / 8.3 gph 757 lpd / 31 lph \$5,995.00

The Ventura VT-200-Tropical is designed for use in waters 50° F or 10° C and higher. System includes: Stainless Steel high pressure plumbing • Seawater strainer • pre-filter housing with 5 micron filter element • feed water pump with heat sink and cooling fan • composite Spectra High Pressure Pump • one 20 inch high rejection/high yield spiral wound reverse osmosis membrane and Spectra free flow ultra efficient high pressure vessel assembly • Spectra Pump and membrane housing mounted and plumbed together with mounting brackets • accumulator • manual fresh water flush system with 3-way valve with for cleaning and flushing procedures, charcoal filter and housing • 50 ft. reinforced sea water hose • 25 ft. LP product tubing • instrument panel with feed water pressure gauge and product flow meter • hand-held salinity monitor • all required tube fittings and hose clamps • one SC-1 storage chemical • complete installation and operation manual • warranty registration card.

Available systems	VT-200-T-12	Ventura 200 Tropical System 12 VDC
	VT-200-T-24	Ventura 200 Tropical System 24 VDC

VT-200-MPC-T (Tropical) 200 gpd / 8.3 gph 757 lpd / 31 lph \$8,425.00

The Ventura VT-200-MPC-Tropical is designed for use in waters 50° F or 10° C and higher. System includes: Stainless Steel high pressure plumbing • Seawater strainer • dual pre-filter housing with 20 and 5 micron filter elements • feed water pump with heat sink and cooling fan • composite Spectra High Pressure Pump • one 20 inch high rejection/high yield spiral wound reverse osmosis membrane and Spectra free flow ultra efficient high pressure vessel assembly • Spectra Pump and membrane housing mounted and plumbed together with mounting brackets • MPC-5000 electrical control box with changeover switch to manual operation • MPC-5000 LCD display and remote control panel with 50 foot control cable • automatic fresh water flush system with charcoal filter • accumulator • one 3-way valve • 50 ft. reinforced sea water hose • 25 ft. LP product tubing • all required tube fittings and hose clamps • one SC-1 storage chemical • complete installation and operation manual • warranty registration card.

Available systems	VT-200-MPC-T-12	Ventura 200 with MPC Control System 12 VDC
	VT-200-MPC-T-24	Ventura 200 with MPC Control System 24 VDC

OPTIONS FOR VENTURA SYSTEMS

ZB-1 Z-Brane Protection System	\$1,650.00
VFD display to replace standard LCD display	N/C

Z-Brane Retrofit kit for any existing unit

ZB-R-B-1	Any 200 to 400 Gallon Per Day Unit	\$2,820.00
The Z-Brane ZB-R-C -1 Kit is for any, previously installed unit. Includes: one special end cap with one Rod ♦ one special end cap with ground electrode ♦ one new membrane with pressure vessel ♦ power supply for one membrane ♦ status light for Rod ♦ Splash Proof enclosure for power supply ♦ high voltage hook up wire ♦		
ZB-R-B-2	Any 600 to 800 Gallon Per Day Unit	\$4,790.00
The Z-Brane ZB-R-C-2 Kit is for any, previously installed unit. Includes: two special end caps with two Rods ♦ two special end caps with ground electrode ♦ two new membranes with pressure vessels ♦ power supply for two Rods ♦ status light for Rod ♦ Splash Proof enclosure for power supply ♦ high voltage hook up wire ♦		
ZB-R-B-3	Any 800 to 1000 Gallon Per Day Unit	\$6,685.00
The Z-Brane ZB-R-C-3 Kit is for any, previously installed unit. Includes: three special end caps with three Rods ♦ three special end caps with ground electrode ♦ three new membranes with pressure vessels ♦ power supply for three Rods ♦ status light for Rod ♦ Splash Proof enclosure for power supply ♦ high voltage hook up wire ♦		

Bio-Guard™ Protection Systems

BG-500		\$249.95
The Bio-Guard BG-500 is for air conditioning systems with a capacity of 12,000 to 24,000 BTU ♦ Required flow is 250-500 Gallons Per Hour♦ Plumbing fittings are ¾" National Pipe Thread ♦ Kit includes mounting hardware and complete installation instructions.		
BG-1000		\$299.95
The Bio-Guard BG-1000 is for air conditioning systems with a capacity of 32,000 to 48,000 BTU ♦ Required flow is 750-1000 Gallons Per Hour♦ Plumbing fittings are 1" National Pipe Thread ♦ Kit includes mounting hardware and complete installation instructions.		
BG-1500		\$399.95
The Bio-Guard BG-500 is for air conditioning systems with a capacity of 48,000 to 75,000 BTU ♦ Required flow is 1000-1500 Gallons Per Hour♦ Plumbing fittings are 1 ¼" National Pipe Thread ♦ Kit includes mounting hardware and complete installation instructions.		
BG-3000		\$449.95
The Bio-Guard BG-3000 is for air conditioning systems with a capacity of 75,000 to 140,000 BTU ♦ Required flow is 1500-3000 Gallons Per Hour♦ Plumbing fittings are 1 ½" National Pipe Thread ♦ Kit includes mounting hardware and complete installation instructions.		

Bio-Guard™ Replacement Cores

BIO-GUARD REPLACEMENT CORES DO NOT INCLUDE COMPLETE UNIONS OR MOUNTING HARDWARE

BG-500-R	Replacement core for BG-500	\$199.95
BG-1000-R	Replacement core for BG-1000	\$249.95
BG-1500-R	Replacement core for BG-1500	\$349.95
BG-3000-R	Replacement core for BG-3000	\$399.95

Accessories for All Watermaker Systems

EL-MPC-RMCD	Additional VFD Control Display Panel for MPC-5000 Control System	\$605.00
EL-MPC-RMCD	Additional LCD Control Display Panel for MPC-5000 Control System	\$605.00
EL-MPC-CBL50	Additional 50 foot Control Cable for MPC-5000 Control System	\$99.00
EL-MPC-CBL75	Additional 75 foot Control Cable for MPC-5000 Control System	\$110.00
KIT-FLT-PLKT	Plankton filter with cleanable mesh screen	\$295.00
KIT-FLT-20	Pre-Filtration (add an additional pre-filter housing and 20 micron filter. Includes six 20 micron filter elements)	\$155.00
KIT-FLT-OW	Oil/Water Separator Filter Kit for systems with one pre filter (includes one oil/water filter element and housing)	\$150.00
KIT-FLT-CC	Charcoal Filter Kit for Product Water (removes odor) (includes one charcoal filter element and housing)	\$99.00
KIT-NP-MK2-HCFM	Commercial Intake Module, (includes one large 20 and 5 micron filter element) When ordered with new unit	\$650.00
KIT-NP-MK2-HCFM	Commercial Intake Module, (includes one large 20 and 5 micron filter element) Stand alone up grade kit	\$850.00
KIT-BCK-A	Basic Cruise Kit A, six 5-micron filter elements, two SC-1 storage chemical used for the 180C, 200C, 380C, Ventura 150D, VT-150 Ocean Rowing, and Cape Horn	\$120.00
KIT-BCK-B	Basic Cruise Kit B, three 5-micron, three 20-micron filter elements, two SC-1 storage chemicals used for the Ventura 150 MPC, 180C, 380C, Newport 400 MK II, Santa Cruz and Gulfstream with the MPC 3000 controller	\$120.00

Accessories for All Watermaker Systems continued

KIT-BCK-C	Basic Cruise Kit C, three 5-micron three 20-micron, three 50-micron filter elements, two SC-1 storage chemicals one charcoal filter element, used for all Catalina and Newport systems excluding the MK II	\$175.00
KIT-UV12	UV Sterilizer for product water up to 1.5 gallons per minute, 12 VDC	\$575.00
KIT-UV24	UV Sterilizer for product water up to 1.5 gallons per minute, 24 VDC	\$575.00
KIT-OFFSH	Offshore Kit 7% & 10% Clark Pump for Ventura 150, Cape Horn, Catalina 300 and Newport 400	\$450.00
KIT-OFFSH1	Offshore Kit 15% & 20% Clark Pump for Newport 700 and Newport 1000	\$560.00
KIT-MPC-IFCKL	RotoFlow up-grade kit for Ventura, Catalina, and Newport 400	\$185.00
KIT-MPC-IFCKH	RotoFlow up-grade kit for Newport 700 and Newport 1000	\$260.00
PL-NLT-1/2HP	High Pressure Tube (for tubing between membrane pressure vessel and Spectra Pump)	Price per foot \$6.65
PL-NLT-1/4LP	Product Water Hose (for tubing between pressure vessel fresh water outlet and water tanks)	Price per foot \$2.00

Spares

PL-PMP-SFPH	Shurflo Pump Head only	\$205.00
KIT-FP-SF12	Shurflo Feed Pump complete less fan 12 VDC	\$325.00
KIT-FP-SF24	Shurflo Feed Pump complete less fan 24 VDC	\$325.00
KIT-FK-12	Shurflo Feed Pump Fan Cooling kit (Mounting cover Screws & Fan) 12 VDC	\$88.00
KIT-FK-24	Shurflo Feed Pump Fan Cooling kit (Mounting cover Screws & Fan) 24 VDC	\$88.00
EL-FP-DP	Shurflo Feed Pump Diaphragm Drive kit	\$80.00
EL-FP-FPHS	Heat Sink only for Shurflo Feed Pump	\$32.00
KIT-PL-HPQDC	Quick Disconnect Fitting for Clark Pump Brine Discharge	\$51.25
KIT-MTR-BDB	Bodine Motor Brush Kit	\$105.00
KIT-MTR-LSBK	Leeson Motor Brush Kit	\$105.00
KIT-MTR-PCSB	Pac-Sci Motor Brush Kit	\$105.00
KIT-CHEM-SC1	SC-1 Storage Chemical (sufficient chemical for one storage procedure)	\$25.00
KIT-CHEM-SC2	SC-2 Alkaline Cleaning Chemical (sufficient chemical for one cleaning procedure)	\$19.00
KIT-CHEM-SC3	SC-3 Acid Cleaning Chemical (sufficient chemical for one cleaning procedure)	\$19.00
FT-FTC-5	5 micron Filter Element	\$12.15
FT-FTC-20	20 micron Filter Element	\$12.15
FT-FTC-50	50 micron Filter Element	\$12.15
FT-FTC-50BB	Commercial 50 micron Filter Element	\$38.50
FT-FTC-CC	Charcoal Filter Element	\$30.50
FT-FTC-OW	Oil/Water Separator Filter Element	\$67.50
FT-STN-5S	5" Strainer Screen (small)	\$13.65
SO-STN-5SS	5" Strainer Seal	\$1.25
FT-STN-6S	6" Strainer Screen (large)	\$15.00
SO-STN-6SS	6" Strainer Seal	\$1.75
SO-FHS-10H	High Pressure Filter Housing O-Ring	\$1.75
SO-FHS-LP10	Filter Housing Seal	\$1.75
KIT-MB-40	40" High Rejection / High Yield Spiral Wound Replacement Membrane Kit with O Rings and Silicone Grease	\$665.00
KIT-MB-20	20" High Rejection / High Yield Spiral Wound Replacement Membrane Kit with O Rings and Silicone Grease	\$585.00
KIT-HHM	Hand-Held Salinity Meter	\$70.00
EL-SLT-CGS8	Calibrating Solution 800 PPM	\$4.85
EL-MPC-SP	Salinity Probe	\$100.00
EL-MPC-CBL10	10' Salinity Probe Cable	\$27.50
PL-SLN-1/4D12VB	¼" Diversion Valve (12V)N	\$143.00

New Vane Feed pump Kits

PL-PMP-110MAG	Mag Vane Feed Pump Kit with fittings W.O. Motor for Catalina 300 Core \$80.	\$676.00
PL-PMP-140175	Vane Feed Pump Kit with fittings W.O. Motor for Newport 400 (new style austenitic ss) Core \$80.	\$1,001.00
PL-PMP-140175E	Vane Feed Pump Kit with fittings W.O. Motor for Newport 400 (old style 304 ss) Core \$80.	\$743.60
PL-PMP-140MAG	Mag Vane Feed Pump Kit with fittings W.O. Motor for Newport 400 MagDrive Core \$80.	\$743.60
PL-PMP-165175	Rotary Vane Pump 165, 175 PSI Core \$80.	\$743.60
PL-PMP-165250	Rotary Vane Pump 165, 250 PSI Core \$80.	\$743.60
PL-PMP-190175	Rotary Vane Pump 190, 175 PSI Core \$80.	\$743.60
PL-PMP-190250	Rotary Vane Pump 190, 250 PSI Core \$80.	\$743.60
PL-PMP-215250	Rotary Vane Pump 215, 250 PSI Core \$80.	\$743.60
PL-PMP-240250	Rotary Vane Pump 240, 250 PSI (Austenitic SS) Core \$80.	1,001.00

New Vane Feed pump Kits Continued

PL-PMP240250E	Rotary Vane Pump 240, 250 PSI (304 SS) Core \$80.	\$743.60
PL-PMP-240MAG5	Mag5 Drive Vane Pump 240, 250 PSI Core \$250.	\$1,895.00
KIT-PMP-240MUPG	Mag5 Upgrade Kit for Newport 700 & 1000 with Pump, Adapter, fittings & instructions	\$1,995.00

Remanufactured Vane Feed pump Kits

KIT-PMP-110MRF	Mag Vane Feed Pump Kit with fittings W.O. Motor for Catalina 300 (Net Cost) Core \$80.	\$340.00
KIT-PMP-140ERF	Vane Feed Pump Kit with fittings W.O. Motor for Newport 400 (old style 304 ss) (Net Cost) Core \$80.	\$340.00
KIT-PMP-140RF	Vane Feed Pump Kit with fittings W.O. Motor for Newport 400 (new style austenitic ss) (Net Cost) Core \$80.	\$380.00
KIT-PMP-140MRF	Mag Vane Feed Pump Kit with fittings W.O. Motor for Newport 400 MagDrive (Net Cost) Core \$80.	\$340.00
KIT-PMP-240ERF	Vane Feed Pump Kit with fittings W.O. Motor for Newport 700 & 1000 (old style 304 ss) (Net Cost) Core \$80.	\$340.00
KIT-PMP-240RF	Vane Feed Pump Kit with fittings W.O. Motor for Newport 700 & 1000 (new style austenitic ss) (Net Cost) Core \$80.	\$380.00
KIT-PMP-240MRF	Mag Vane Feed Pump Kit with fittings W.O. Motor for Newport 700 & 1000 MagDrive (Net Cost) Core \$250.	\$800.00